

# AOCHENG Tanks Catalogue

2021



# ABOUT US

- ◆ Yongjia Aocheng Hardware Co., Ltd. established in 2007, has been manufacturing transportable diesel tank for more than 14 years.
- ◆ Most of our products passed ISO9000:2000 certification in the year 2001 and CE certification in the year 2002. We also have many products that are under the process of UL approval. At present, our company exports 30% of our products which are produced by our professional staff members.
- ◆ We hope to share with you our ingeniousness and collaborative spirit.



## What Makes Us Different



### Customized Tank Solution

We manufacture all the accessories ourselves like pumps, flow meters, nozzle, delivery hose, etc. Therefore, we can freely assemble and provide various customized tank solutions for customers.



### Lower Price than the Average

All the accessories are produced by us which saves a lot of purchase cost, so we can provide more competitive solutions.

# DIESEL TANK



| Specification      | DTK240   | DTK480   |
|--------------------|--|--|
| Volume             | 220L   | 480L   |
| Dimensions         | 900*665*600mm  | 1200*806*800mm   |
| Pump Flow          | 55L/min  | 55L/min  |
| Pump Power         | 12V / 24V / 220V   | 12V / 24V / 220V   |
| Power Cable Length | 2 meter wiring harness with alligator clips                | 2 meter wiring harness with alligator clips                |
| Discharge Hose     | 4 m of 3/4" delivery hose with swivel and crimped fittings | 4 m of 3/4" delivery hose with swivel and crimped fittings |
| Nozzle             | Automatic nozzle   | Automatic nozzle   |
| Weight             | 34.5 kg  | 61kg   |

## Product Details



## Applications

Providing the convenience of having a refueling station that goes wherever the job requires diesel fuel.



Gardening



Agriculture



Earth-moving




Industrial

# GASOLINE TANK



| Specification      | GTK240   | GTK480   |
|--------------------|--|--|
| Volume             | 220L   | 480L   |
| Dimensions         | 900*665*600mm  | 1200*806*800mm   |
| Pump Flow          | 55L/min  | 55L/min  |
| Pump Power         | 12V / 24V  | 12V / 24V  |
| Power Cable Length | 2 meter wiring harness with alligator clips                | 2 meter wiring harness with alligator clips                |
| Discharge Hose     | 4 m of 3/4" delivery hose with swivel and crimped fittings | 4 m of 3/4" delivery hose with swivel and crimped fittings |
| Nozzle             | Automatic nozzle   | Automatic nozzle   |
| Weight             | 34.5 kg  | 61kg   |

## Product Details



## Applications

Providing the convenience of having a refueling station that goes wherever the job requires gasoline.



Oil & Gas



Agriculture



Earth-moving



Industrial

# ADBLUE / DEF TANK



| Specification      | UTK240   | UTK480   |
|--------------------|--|--|
| Volume             | 220L   | 480L   |
| Dimensions         | 900*665*600mm  | 1200*806*800mm   |
| Pump Flow          | 55L/min  | 55L/min  |
| Pump Power         | 12V / 24V / 220V   | 12V / 24V / 220V   |
| Power Cable Length | 2 meter wiring harness with alligator clips                | 2 meter wiring harness with alligator clips                |
| Discharge Hose     | 4 m of 3/4" delivery hose with swivel and crimped fittings | 4 m of 3/4" delivery hose with swivel and crimped fittings |
| Nozzle             | Automatic nozzle   | Automatic nozzle   |
| Weight             | 34.5 kg  | 61kg   |

## Product Details



## Applications

Our Portable Tank offers an effective solution to deliver DEF to on-road and off-road vehicles. This portable DEF tank provides a safe and quick DEF transfer. The tank is constructed of polyethylene, includes a ventilation cap and stainless-steel wetted materials.



DEF



Adblue

# PORTABLE GAS CADDY



| Specification       | DTK53  |
|---------------------|--|
| Volume              | 14 Gallon (53-liter)                               |
| Dimensions          | 160*130*340mm                                      |
| Pump Flow           | 2 gallons/minute in siphon mode                    |
| Discharge Hose      | 10' hose with hanger for easy storage              |
| Molded From         | High-Density Polyethylene                          |
| Single Gross Weight | 10.000 kg  |
| Pump Type           | MaxFlo Siphon Pump with at-the-handle pump control |

## Product Details



## Applications

The Portable Gas Caddy is ideally suited for farm and rural use as well as cottage and marine applications. Made from high density polyethylene, the fuel container is resistant to corrosion and denting. It is a safe, fast, and convenient way to refill gas-powered tools, lawn tractors, boat engines, generators, snow-mobles, ATVs, etc.



Leisure



Marine

# OTHER PRODUCTS



**Fuel Dispenser**



**Hose Reel**



**Fuel Transfer  
Pump**



**Flow Meter**



**Nozzle**

## Contact us



Mr. Thomas Lu



+86 13587728766



[aocheng.sale03@vip.163.com](mailto:aocheng.sale03@vip.163.com)



[www.china-aocheng.com](http://www.china-aocheng.com)

